


Step-Lap Lamination Cutting Line **GEORG precisioncut TBA400**

transformer lines



mit uns **technisch überlegen**



Your benefits

More profit

- > The line can run full speed 24/7
- > Low maintenance, high availability
- > Scrap saving routines

Better quality

- > Low burr, low loss quality laminations
- > Highest lamination length accuracy
- > Careful processing of valuable strip material

GEORG protectionworld

- > 100 % support through our Life Cycle Quality Management



Main technical data

Strip width

- > 40 (50) to 440 mm

Decoiler

- > Double decoiler or option for 4, 6, 8 or 10 head decoiler
- > automatic strip infeed unit

V notch

- > 1 CNC crosswise, electric, option for 2nd V notch

Hole punch

- > 1 fixed, electric, dia 8 to 36 mm, option for 2nd, 3rd or 4th, option for cross or longitudinal CNC-adjustment

Shear

- > 2 shears fixed at 45°/-45° (90°)

Stacking system

- > Wide range: RS, HS/T, PB/T, STA/B, automatic E stacker

Option

- > X notch

Max. Speed

- > 240 m/min

Machine also available in high speed configuration with CNC longitudinal adjustment for hole punches, V notch and shears. Machine also available in basic configuration as GEORG TBA400 ecoline with double head decoiler, 1 or 2 hole punches, V notch, 2 fixed shears and RS stacker or HS/T stacker. Or as TBA400 ecoline L with STA 5 stacker.